



Turnstiles & IP-stiles



Speed gates



Compact tripod
turnstiles




Box tripod
turnstiles



Full height rotor
turnstiles



Swing gates



IP-based access control
systems

PERCo and its products

PERCo is a leading Russian manufacturer of security systems and equipment with a 30-year experience. Installations in 88 countries worldwide prove the high quality of PERCo products. Warehouses both in Russia and EU (the Netherlands and Estonia) allow to deliver goods within the short time frames.

Main product lines:

- Turnstiles, gates and railing systems
- Electromechanical locks
- IP-based entrance control systems
- Access control systems

PERCo manufactures a wide range of turnstiles, gates and railings to meet various requirements to design, functionality, size and level of security.

Turnstiles, gates and railing systems provide effective means for pedestrian flow control at entrances of production facilities, administrative buildings, company offices, schools, university campuses, stadiums, leisure and fitness facilities, amusement parks and zoos, shopping outlets.

Each day 20 000 000 people pass through PERCo turnstiles and IP-Stiles.





ST-01

Speed gate with swing panels



ST-02

NEW

Speed gate with sliding panels




Application:

- Governmental institutions
- Banks
- Industrial enterprises
- Business centers
- Oil and gas complexes

- Stainless steel, tempered glass
- For indoor use
- Throughput rate in the single passage mode 60 persons / min



Proximity card readers
insertion capacity



LED indication



TTR-08A

Compact tripod turnstile with automatic anti-panic



Proximity card readers
insertion capacity



LED passage indication

TTR-10A

NEW

Transport tripod turnstile with automatic anti-panic



LED passage indication




LED passage indication


Application:

- Industrial enterprises
- Sports, leisure & recreation facilities
- Business centers
- Banks
- Governmental institutions
- Company offices
- Transport terminals

- Stainless steel
- For outdoor use
- Throughput rate in the single passage mode 30 persons/min



Automatic anti-panic



Automatic anti-panic



TTR-07A/TTR-04


Tripod turnstile with anti-panic folding arms



LED indication

T-5

Tripod turnstile for indoor application




Red/green status lights


Application:

- Industrial enterprises
- Governmental institutions
- Company offices
- Sports, leisure & recreation facilities
- Institutions of higher education
- Transport terminals

- Barrier arms for TTR-04/TTR-07A: stainless steel, for T-5: steel, sandpaper powder coating with pearl mica effect
- TTR-07A, TTR-04, T5: for indoor use
TTR-04CW: for outdoor use
- Throughput rate in the single passage mode 30 persons/min



Automatic anti-panic



Mechanical anti-panic



Built-in bar-code scanner



Built-in proximity card reader



Built-in card capture reader



Built-in reader and coin acceptor



Built-in reader and a mounting arm for external equipment installation



Cover for external biometric reader installation

TTD-10A

NEW

Box tripod turnstile with a capability of additional equipment installation



Turnstile status indication



Passage direction indication




Automatic anti-panic

Application:

- Sports, leisure & recreation facilities
- Industrial enterprises
- Business centers
- Banks
- Governmental institutions
- Company offices
- Transport terminals

- Stainless steel
- All-weather capability
- Throughput rate in the single passage mode 30 persons/min



Automatic anti-panic



TTD-08A

Box tripod turnstile with automatic anti-panic



Proximity card readers
insertion capacity



LED passage indication



Automatic anti-panic

Application:

- Governmental institutions
- Banks
- Industrial enterprises
- Power plants
- Institutions of higher education
- Transport terminals
- Business centers

- Stainless steel
- All-weather capability
- Throughput rate in the single passage mode 30 persons/min




Automatic anti-panic



TB01/TB01A


Box tripod turnstiles with built-in card readers




Reading personnel cards

TBC01/TBC01A


Box tripod turnstiles with built-in readers and a card capture function



Card capture reader – 350 cards



Reading personnel cards



Capturing guest cards

Application:

- Industrial enterprises
- Business centers
- Banks
- Governmental institutions
- Institutions of higher education
- Company offices
- Transport terminals


- Stainless steel
- For indoor use
- Throughput rate in the single passage mode 30 persons/min
- Supports EMM/HID cards

TB01A/TBC01A



Automatic anti-panic

TB01/TBC01



Mechanical anti-panic



Яндекс

TTD-03.1

Box tripod turnstile



LED directional indicators

TTD-03.2

Box tripod turnstile



LED directional indicators

Application:

- Industrial enterprises
- Business centers
- Banks
- Governmental institutions
- Institutions of higher education
- Company offices
- Transport terminals

- Stainless steel
- For indoor use
- Throughput rate in the single passage mode 30 persons/min



Mechanical anti-panic



ИМПЕРИАЛ ПА
БИЗНЕС - ЦЕНТР

IC03/IC05


Card capture readers

NEW



WMD-06/IRP01

Motorized swing gate / Reader post with LCD display



Application:

- Business centers
- Banks
- Company offices
- Industrial enterprises
- Governmental institutions

- IC03, IC05: stainless steel
- IRP01: stainless steel
- WMD-06: stainless steel, tempered glass

- For indoor use
- WMD-06: throughput rate in the single passage mode 12 persons/min



RTD-16/WHD-16

Full height cost-efficient rotor turnstile / Full height gate



RTD-20

Double passage full height turnstile



NEW

Application:

- Industrial enterprises
- Sports, leisure & recreation facilities
- Transport terminals

- Galvanized steel with powder coating
- For indoor and outdoor use
- RTD-16: throughput rate in the single passage mode 20 persons/min
- WHD-16: throughput rate in the single passage mode 12 persons/min
- RTD-20: throughput rate in the single passage mode 40 persons/min



Walkway
downlights



LED directional
indicator



Disabled access

Ford Sollers

АЯ ТЕРРИТОРИЯ

неконтролируемого прохода

ЗАПРЕЩЕНО!

территории ОМК

проезда транспорта:

Мотоциклы

Самолеты

и другие транспортные средства

Территории

предприятия

не застрахованы

О СМОКИНГ!



RTD-15

Full height rotor turnstile



WHD-15/MB-15

Full height gate / Full height railing



Application:

- Industrial enterprises
- Sports, leisure & recreation facilities
- Transport terminals

- Powder coated aluminum
- For indoor and outdoor use
- RTD-15: throughput rate in the single passage mode 20 persons/min
- WHD-15: throughput rate in the single passage mode 12 persons/min



Walkway
downlights



LED directional
indicator




Disabled access

**CONTINUOUS
EFFORT**
NOT STRENGTH OR INTELLIGENCE
IS THE KEY
TO UNLOCKING OUR POTENTIAL.




WMD-05 series

Motorized swing gate



WHD-05


Electromechanical swing gate



Application:

- Industrial enterprises
- Governmental institutions
- Company offices
- Transport terminals
- Sports, leisure & recreation facilities

- WMD-05: stainless steel,
WHD-05: sandpaper powder coating with pearl mica effect
- WMD-05S/WHD-05: for indoor use, WMD-05SW: for outdoor use
- WMD-05: throughput rate in the single passage mode 12 persons/min
- WHD-05: throughput rate in the single passage mode 20-22 persons/min




A large, illuminated directory board with a grid of names and numbers, likely a seating chart or a list of residents. The board is mounted on a dark wall and is brightly lit.

NO.	NAME	NO.	NAME	NO.	NAME
1	...	11	...	21	...
2	...	12	...	22	...
3	...	13	...	23	...
4	...	14	...	24	...
5	...	15	...	25	...
6	...	16	...	26	...
7	...	17	...	27	...
8	...	18	...	28	...
9	...	19	...	29	...
10	...	20	...	30	...

PERCo IP-Stiles

PERCo IP-Stiles are designed as a turnkey solution to organize access control at enterprises and institutions.

Controller and two card readers are built-in in a turnstile housing and there are also models with a built-in card-capture reader. It simplifies installation and improves the outer appearance of the IP-stile.



IP-Stiles have an opportunity for direct connection to computer network of the enterprise.


Software:

IP-Stile can operate both as a standalone system and as a part of multifunctional PERCo-Web system.

Free software is included into delivery set.

Name	Personnel number	Department	Position	Access assignment	Working schedule	Card	Date of Birth	Photo
Williams David		Administration	Leader	Administration	9:00-17:45		23-08-1974	
Heating John		Advertising	Web manager	Advertising department	9:00-17:45		27-08-2002	
Smith Alex		Administration	Chief operating manager	Administration	9:00-17:45		02-12-2007	
Collins James		Logistics	Sales manager	Sales department	9:00-17:45		14-02-2005	
Wright Carter		Purchase	Purchase department head	Purchase department	9:00-17:45		27-05-2003	
Green Robert		Sales	Sales department head	Sales department	9:00-17:45		02-04-1996	
Adkins John		Sales	Sales manager	Sales department	9:00-17:45		28-07-2002	
Wright Robert		Purchase	Managing manager	Purchase department	9:00-17:45		12-05-2004	

PERCo-Web: Staff



PERCo-Web: Verification



KT02

IP-based access control system



Built-in proximity card readers and LED indication

KT08A


IP-based access control system



Built-in proximity card readers and LED indication

Application:

- Industrial enterprises
- Business centers
- Banks
- Governmental institutions
- Institutions of higher education
- Company offices



Mechanical anti-panic

- KT02: for indoor use, KT08A: for outdoor use
- KT02.3 support EMM/HID cards, KT02.7 support MIFARE cards
- throughput rate in the single passage mode 30 persons/min

- KT02: housing - powder coated steel with pearl mica effect, cover - stainless steel
- KT08A: stainless steel



Automatic anti-panic



KT05/KT05A


IP-based access control system



Presenting
personnel card

KTC01/KTC01A

IP-based access control system



Card container
capacity – 350 cards



Presenting
personnel card



Capturing guest
card

Application:

- Industrial enterprises
- Business centers
- Banks
- Governmental institutions
- Institutions of higher education
- Company offices
- Transport terminals


- Stainless steel
- For indoor use
- Throughput rate in the single passage mode 30 persons/min
- Support EMM/HID cards

KT05A/KTC01A



Automatic anti-panic


KT05/KTC01



Mechanical anti-panic



Parc Floral, Paris, France



Czech Savings Bank, Prague, Czech Republic



Fisht Olympic Stadium, Sochi

Our clients

Among PERCo clients there are thousands of public and private organizations, banks, museums, power plants, airports, railways, seaports, exhibition and business centers, ski resorts, fitness, health and entertainment facilities in 88 different countries. Below you can find just a brief reference list of PERCo numerous installations worldwide.

Governmental institutions

- Secretary of Agriculture, Oaxaca, Mexico
- Public Roads Administration, Slovakia
- National Tax and Customs Administration, Budapest, Hungary

Power stations

- Novovoronezh nuclear station, Novovoronezh, Russia
- Power Station, Budapest, Hungary
- Leningrad Nuclear Power Plant, St.Petersburg, Russia

Financial institutions

- Czech Savings Bank, Prague, Czech Republic
- Societe Generale Bank, Belgrade, Serbia
- Goldman Sachs Banking-house, Mumbai, India
- Barclays Bank PLC, Mumbai, India
- Central Bank of Russian Federation, St. Petersburg, Russia

Oil and gas facilities

- Kinex Oil Refinery, Russia
- Brega Petroleum Marketing oil corporation, Lybya
- Surgut Gas Refinery, Russia

Industrial facilities

- ARNEG plant of refrigeration systems, Padua, Italy
- Spendrups brewery, Grangesberg, Sweden
- BSH Hausgeräte GmbH, Michalovce, Slovakia
- Shipbuilding factory, Klaipeda, Lithuania
- Al Othaim Food Stuff Co factory, Riyadh, Saudi Arabia
- Kohimo metalwork plant, Tallinn, Estonia
- Samalaju Lodge, Bintulu, Sarawak, Malaysia
- Emirates Aluminium factory, Abu-Dhabi, UAE
- KNAUF factory office building, Slovakia

- Samalaju Lodge, Bintulu, Sarawak, Malaysia
- Emirates Aluminium factory, Abu-Dhabi, UAE
- Fassa baby food factory, Bangladesh
- Elba a.s. production company, Slovakia

Educational institutions

- University of Deusto, Bilbao, Spain
- Secondary school, Warsaw, Poland
- Oakland University, New Zealand
- State Technical University, Bratislava, Slovakia
- University Paris II - Panthéon-Assas, Paris, France

Sports & entertainment facilities

- Fitness club Ben Rietdijk Sport, Velsbroek, the Netherlands
- Vincenzo Presti Football Stadium, Gela, Italy
- Reforma sports club, Mexico City, Mexico
- Fitness club L'Appart Fitness, France
- World Class sports club, Reykjavik, Iceland
- Flamingo Land Theme Park & Zoo, North Yorkshire, UK
- BODYTECH fitness center, New Zealand
- BaNaHills Fantasy Park entertainment centre, Vietnam
- Suwalki City Stadium, Poland

Transport infrastructure

- Corfu Seaport, Greece
- Jebel Ali Seaport, Dubai, UAE
- M.R. Štefánik Airport, Bratislava, Slovakia
- Port of Trieste, Italy
- Subway of Sofia, Bulgaria
- Port of Sohar, Oman

Business centers & shopping malls


- RIMI shopping centre, Klaipeda, Lithuania
- Hadovka Office Park, Prague, Czech Republic
- Galleria shopping center, Riga, Latvia

Cultural institutions

- Salzburg Museum, Austria
- National Museum of Archaeology, Malta
- University of Port Harcourt, Nigeria



Office of Student Loans Company, Hillington, Scotland



Hermitage, Saint Petersburg



ARNEG's plant of refrigeration systems, Padua, Italy

30 years worldwide



Albania	Denmark	Kazakhstan	Norway	Sri Lanka
Armenia	Egypt	Kenya	Oman	Sweden
Australia	Estonia	Kyrgyzstan	Pakistan	Switzerland
Austria	Finland	Kuwait	Peru	Taiwan
Azerbaijan	France	Latvia	Philippines	Tajikistan
Bahrain	Georgia	Lebanon	Poland	Thailand
Bangladesh	Germany	Libya	Romania	Turkmenistan
Belarus	Ghana	Lithuania	Portugal	Tunisia
Belgium	Greece	Macedonia	Qatar	UAE
Benin	Hungary	Malaysia	Russia	Uganda
Bosnia and Herzegovina	Iceland	Malta	Rwanda	UK
Bulgaria	India	Mexico	Saudi Arabia	Ukraine
Burkina Faso	Iran	Moldova	Serbia	Uzbekistan
Cameroon	Ireland	Mongolia	Singapore	Vietnam
China	Israel	Morocco	Slovakia	Yemen
Columbia	Italy	Netherlands	Slovenia	
Croatia	Japan	New Zealand	South Korea	
Czech Republic	Jordan	Nigeria	Spain	

PERCo in brief

- 30 years expertise in the security market
- export to 88 countries worldwide
- PERCo trademark registered in 20 countries
- 23,000 sq.m of production and office space
- over 500-strong team of qualified professionals
- Warehouses in Russia and EU (the Netherlands and Estonia)

web: www.perco.com

e-mail: export@perco.com

videos: www.youtube.com/percoweb



PERCo headquarters



PERCo manufacturing plant



www.perco.com
export@perco.com